







Please complete this form in its entirety to ensure timely and accurate processing.

Today's Date:	☐ In-Network ☐ Out-of-Network			☐ In Person ☐ Telehealth		
Member Name:		DOB:		State ID:		
☐ RAE 1 ☐ RAE 2 ☐ RAE 3	□ RAE 4 □ RAE 5	☐ RAE 6	RAE	7 DHMC	PRIME CHP+	
Provider/Facility Name:						
Provider/Facility Address:						
Provider/Facility NPI:		Provider/F	acility T	IN:		
Requestor's Name:	ı	Phone Number:				
Email:				Fax:		
Level of Care Requested:						
☐ ASAM 2.1 Intensive Outpatient S	ervices					
☐ ASAM 2.5 Partial Hospitalization	Program					
☐ ASAM 3.1 Clinically Managed Lo	w-Intensity Residential	Services				
ASAM 3.2WM Clinically Managed Residential Withdrawal Management						
☐ ASAM 3.3 Clinically Managed Lo	w-Intensity Residential	Services				
☐ ASAM 3.5 Clinically Managed Hig	h-Intensity Residentia	l Services				
☐ ASAM 3.7 Medically Monitored In	tensive Inpatient Servi	ces				
ASAM 3.7WM Medically Monitored Withdrawal Management Services						
☐ Member not admitted yet ☐ Admitted more than 24 hours of this submission						
☐ Admitted within 24 hours of this s	Admitted and already discharged					
Admission Date: If Concurrent, what is the last covered day? (date of first service) * If this is a concurrent request, please make sure to include the updated treatment plan and individualized updates.						
					an and individualized updates.	
# Days/Visits Requested:				End Date:		
ICD-10 Diagnosis Codes (BH & SUD):						
ICD-10 Diagnosis Codes (all other	s known):					
Justice Involved Population (Individuals who are under community-based supervision.)		Adolescents Special Population (Individuals up to age twenty-one.)			Special Connections Population (if yes – please complete section on page 4) Gender-responsive treatment for pregnant and parenting women who are Medicaid eligible in order to maximize the chance of a healthy birth and to provide postpartum treatment services in order to maintain gains made during pregnancy: Only women who	
Circle Program (Comprehensive community-based residential treatment for individuals with co-occurring substance use and mental health disorders.)	(Typically age sixty-fiv	Older Adult Special Population (Typically age sixty-five or older, may have Medicare as primary Insurance.)				
Parenting Population (Parents receiving addiction treatment concurrently with their children who are not eligible for Special Connections.)	On current IC (involuntary commitment)	On current IC (involuntary commitment)  On current EC (emergency commitment)  delivered are services after at: https://hcg		delivered are el services after th	Connections before they ligible for Special Connections ney deliver. More information colorado.gov/special-	

<sup>\*</sup> If this is a concurrent request, please make sure to include the updated treatment plan and individualized updates.

Please complete this	form in its	entirety to ens	sure timel	y and accurate pr	ocessing.	Me	ember State ID:	
SUBSTANCE USE (Select all that apply)								
Alcohol	•	rbiturates	□ Ве	nzodiazepines	☐ Co	caine	LSD	☐ Marijuana
☐ Methamphetamine	e 🗆 C	pioids	☐ F	PCP	□ 0	ther (please	explain):	
			•		•			
Provide the follow	ing as app	licable:	BAL:		UDS:	:	С	IWA:
COWS:	SE	WS:		MINDS:		Pregnant:	:	Post-Partum:
Vitals (if admitting 3.7, & 3.		Blood pressur	re:	Pulse:		Оху	gen:	Respirations:
			Curre	ent withdrawal s	symptom	ıs:		
☐ Abdominal pain		☐ Agitation		☐ Anxiety		☐ Body aches		☐ Cravings
Delirium tremens (or history of DTs)		☐ Diarrhea		☐ Fever		☐ Gooseflesh		☐ Hallucinations
Headache		☐ Irritability		☐ Nausea/vomiting		☐ Runny nose		Seizures (or history of seizures)
☐Stomach cramps	Stomach cramps		□Yawning [		□Other (	Other (please explain):		
CLINICAL	. INFORM	MATION: PI	ease co	omplete below	and att	tach clini	ical note/asse	essment.
SUD TREATMENT	HISTOR'	Y Describe oth	ner ASAM	I levels of care util	ized in the	past 12 m	onths	
ASAM Level of Care	SAM Level of Care Name of Provider			Duration	Appro	Approx. Dates		Outcome
MEDICATIONS (inc	MEDICATIONS (including MAT) (attach additional pages as necessary) □ N/A □ Not taking any medications □ Unable to obtain							
Name of Medicat		Medication S				Frequ		Prescriber
ASAM ASSESS	MENT: P	lease com	plete be	elow and attac	h and s	upportin	g clinical not	e/assessment.
			Acute In	ntoxication an	d/or Wit	hdrawal	Potential	
☐ No significant v ☐ Minimal risk of								
			table wit	hdrawal symptor	ns presei	nt		
<ul> <li>Not at risk of withdrawal, or minimal/stable withdrawal symptoms present</li> <li>Not at risk of severe withdrawal, or moderate withdrawal is manageable at Level 3.2WM</li> </ul>								
☐ Potential for life								
Life threatening adverse reaction		al symptoms	s, includi	ng potential or a	ctual seiz	ures, delir	rium tremens, o	r other imminent
Provide a brief summ please describe the p						or membe	ers with an opioi	d use disorder,
picase describe the p	naii io oile	i iliculcation	<u> </u>	u u caunciii (IVIA	1 ).			

<sup>\*</sup> If this is a concurrent request, please make sure to include the updated treatment plan and individualized updates.

Please complete this form in its entirety to ensure timely and accurate processing.

Member State ID:

	DIMENSION 2: Biomedical Conditions/Complications
	No biomedical conditions/complications (or not significant to distract from treatment)
	Biomedical conditions/complications are stable, concurrent medical monitoring being received
	24-hour medical monitoring (but not intensive treatment) is needed
	24-hour medical and nursing care, and the full resources of a licensed hospital are needed
	de a brief summary of the member's needs/strengths for Dimension 2. Please make sure to include any medical oses and if there are any complications currently being treated?
	DIMENSION 3: Emotional/Behavioral/Cognitive Conditions
	No emotional, behavioral, or cognitive conditions/complications, or very stable
	Mild emotional, behavioral, or cognitive conditions/complications with potential to distract from recovery
	Mild or minimal emotional, behavioral, or cognitive conditions/complications that are not distracting to recovery
	Mild to moderate emotional, behavioral, or cognitive conditions/complications that require structured interventions to not be a distraction from recovery. Presence of population-specific needs that cannot be met in a lower level of care
	Moderate emotional, behavioral, or cognitive conditions/complications that cause repeated inability to control impulses and/or presence of acute symptom instability
	Severe emotional, behavioral, or cognitive conditions/complications that require a 24-hour structured and medically monitored setting
	Severely unstable emotional, behavioral, or cognitive conditions/complications that require 24-hour psychiatric care in a hospital setting
Provide	e a brief summary of the member's needs/strengths for Dimension 3.
	DIMENSION 4: Readiness to Change
	DIMENSION 4: Readiness to Change  Demonstrated readiness for recovery, requires motivating and monitoring strategies to strengthen readiness
	Demonstrated readiness for recovery, requires motivating and monitoring strategies to strengthen readiness  Demonstrated variable engagement in treatment, ambivalence, and/or lack of awareness of the seriousness of substance use and/or coexisting mental health problems. Requires treatment several times per week to promote
	Demonstrated readiness for recovery, requires motivating and monitoring strategies to strengthen readiness  Demonstrated variable engagement in treatment, ambivalence, and/or lack of awareness of the seriousness of substance use and/or coexisting mental health problems. Requires treatment several times per week to promote change
	Demonstrated readiness for recovery, requires motivating and monitoring strategies to strengthen readiness  Demonstrated variable engagement in treatment, ambivalence, and/or lack of awareness of the seriousness of substance use and/or coexisting mental health problems. Requires treatment several times per week to promote change  Demonstrated openness to recovery, but needs a structured environment to maintain therapeutic gains  Demonstrated lack of awareness of need for change due to cognitive limitations and addiction. Requires
	Demonstrated readiness for recovery, requires motivating and monitoring strategies to strengthen readiness  Demonstrated variable engagement in treatment, ambivalence, and/or lack of awareness of the seriousness of substance use and/or coexisting mental health problems. Requires treatment several times per week to promote change  Demonstrated openness to recovery, but needs a structured environment to maintain therapeutic gains  Demonstrated lack of awareness of need for change due to cognitive limitations and addiction. Requires interventions to engage to stay in treatment
	Demonstrated readiness for recovery, requires motivating and monitoring strategies to strengthen readiness  Demonstrated variable engagement in treatment, ambivalence, and/or lack of awareness of the seriousness of substance use and/or coexisting mental health problems. Requires treatment several times per week to promote change  Demonstrated openness to recovery, but needs a structured environment to maintain therapeutic gains  Demonstrated lack of awareness of need for change due to cognitive limitations and addiction. Requires interventions to engage to stay in treatment  Demonstrated marked difficulty with or opposition to treatment with dangerous consequences  Demonstrated high resistance and poor impulse control despite negative consequences. In need of motivating
	Demonstrated readiness for recovery, requires motivating and monitoring strategies to strengthen readiness  Demonstrated variable engagement in treatment, ambivalence, and/or lack of awareness of the seriousness of substance use and/or coexisting mental health problems. Requires treatment several times per week to promote change  Demonstrated openness to recovery, but needs a structured environment to maintain therapeutic gains  Demonstrated lack of awareness of need for change due to cognitive limitations and addiction. Requires interventions to engage to stay in treatment  Demonstrated marked difficulty with or opposition to treatment with dangerous consequences
	Demonstrated readiness for recovery, requires motivating and monitoring strategies to strengthen readiness  Demonstrated variable engagement in treatment, ambivalence, and/or lack of awareness of the seriousness of substance use and/or coexisting mental health problems. Requires treatment several times per week to promote change  Demonstrated openness to recovery, but needs a structured environment to maintain therapeutic gains  Demonstrated lack of awareness of need for change due to cognitive limitations and addiction. Requires interventions to engage to stay in treatment  Demonstrated marked difficulty with or opposition to treatment with dangerous consequences  Demonstrated high resistance and poor impulse control despite negative consequences. In need of motivating strategies available only in a 24-hour structured setting
	Demonstrated readiness for recovery, requires motivating and monitoring strategies to strengthen readiness  Demonstrated variable engagement in treatment, ambivalence, and/or lack of awareness of the seriousness of substance use and/or coexisting mental health problems. Requires treatment several times per week to promote change  Demonstrated openness to recovery, but needs a structured environment to maintain therapeutic gains  Demonstrated lack of awareness of need for change due to cognitive limitations and addiction. Requires interventions to engage to stay in treatment  Demonstrated marked difficulty with or opposition to treatment with dangerous consequences  Demonstrated high resistance and poor impulse control despite negative consequences. In need of motivating strategies available only in a 24-hour structured setting
	Demonstrated readiness for recovery, requires motivating and monitoring strategies to strengthen readiness  Demonstrated variable engagement in treatment, ambivalence, and/or lack of awareness of the seriousness of substance use and/or coexisting mental health problems. Requires treatment several times per week to promote change  Demonstrated openness to recovery, but needs a structured environment to maintain therapeutic gains  Demonstrated lack of awareness of need for change due to cognitive limitations and addiction. Requires interventions to engage to stay in treatment  Demonstrated marked difficulty with or opposition to treatment with dangerous consequences  Demonstrated high resistance and poor impulse control despite negative consequences. In need of motivating strategies available only in a 24-hour structured setting  a brief summary of the member's needs/strengths for Dimension 4.
	Demonstrated readiness for recovery, requires motivating and monitoring strategies to strengthen readiness  Demonstrated variable engagement in treatment, ambivalence, and/or lack of awareness of the seriousness of substance use and/or coexisting mental health problems. Requires treatment several times per week to promote change  Demonstrated openness to recovery, but needs a structured environment to maintain therapeutic gains  Demonstrated lack of awareness of need for change due to cognitive limitations and addiction. Requires interventions to engage to stay in treatment  Demonstrated marked difficulty with or opposition to treatment with dangerous consequences  Demonstrated high resistance and poor impulse control despite negative consequences. In need of motivating strategies available only in a 24-hour structured setting  e a brief summary of the member's needs/strengths for Dimension 4.

<sup>\*</sup> If this is a concurrent request, please make sure to include the updated treatment plan and individualized updates.

Please complete this form in its entirety to ensure timely and accurate processing.

Member State ID:

	Low awareness of relapse and needs interventions only available in a population-specific setting to prevent continued substance use because of cognitive deficits or dysfunction
	Presence of psychiatric symptoms, cravings, and/or crises that inhibit the ability to control substance use
	Inability to control substance use and requires 24-hour supervision to prevent imminent dangerous consequences
Provide	e a brief summary of the member's needs/strengths for Dimension 5.
	DIMENCION C. Decessor/Living Environment
	DIMENSION 6: Recovery/Living Environment
	Supportive recovery environment and/or adequate skills to cope with stressors
	Recovery environment not fully supportive, but able to cope with structure and support
	Environment is dangerous, inability to cope outside of a highly structured 24-hour setting
	Environment is imminently dangerous, inability to cope outside of a highly structured 24-hour setting
Provide	e a brief summary of the member's needs/strengths for Dimension 6.
	ADDITIONAL CLINICAL INFORMATION (so peeded)
	ADDITIONAL CLINICAL INFORMATION (as needed)
	If you are an out-of-network Provider, please provide rationale of treatment needs.

### **SPECIAL CONNECTIONS ONLY**

Please provide additional information:

Dimension 1: Is client currently receiving MAT? Is infant in the NICU withdrawing? Are infant's behaviors consistent with substances in the infant's system?

Dimension 2: Pregnancy status (1st, 2nd, 3rd trimester, post- partum). Pre-natal care status. Any complications during birth? Was infant born with any complications?

Dimension 3: Assess ACES from parent's life to gauge parenting ability &/or attachment issues. Assess psychiatric medication need and if meds can be taken during pregnancy. Any perinatal anxiety or depression? How is parent responding to birth of infant?

<u>Dimension 4:</u> Level of preparedness for life/parenting skills to meet needs of infant and all children in mom's custody. Father/partner's engagement in treatment (if using and involved).

<u>Dimension 5:</u> Parent's reaction to parenting while sober (need for coping skills and structure for successful parenting). Children's reaction to parent taking on parenting responsibilities.

<u>Dimension 6:</u> Age, custody status/reunification efforts/living arrangement, level of DHS involvement, behavioral/medical needs for existing children. Safe hope/housing access? Level of partner/family support? Is father/partner involved-level of involvement in infant's life, level of use, history of domestic violence.

Attach additional documentation as necessary.

#### COMPLETE FORM IN ITS ENTIRETY AND SEND TO MEMBER'S RAE/MCO ALONG WITH SUPPORTING CLINICAL DOCUMENTATION. INCOMPLETE FORMS WILL CAUSE PROCESSING DELAYS. Online Submission/Email RAE/MCO Phone Fax RAE/PRIME Rocky Mountain Health Plans 800-421-6204 888-240-2689 rmhpbhvm@uhc.com (RAE 1), PRIME & CHP+ CHP+ 877-668-5947 719-538-1439 Northeast Health Partners (RAE 2 Carelon) 888-502-4189 northeasthealthpartners@carelon.com Health Colorado (RAE 4 Carelon) 888-502-4185 719-538-1439 healthcolorado@carelon.com Colorado Access (RAE 3, 5, DHMC & CHP+) 800-511-5010 720-744-5130 Behavioral.health@coaccess.com Colorado Community Health Alliance 855-627-4685 844-452-8067 Availity.com (RAE 6 <u>& 7</u>)

<sup>\*</sup> If this is a concurrent request, please make sure to include the updated treatment plan and individualized updates. Page 4 of 4